


High Speed HDMI Cables

SIK Premium Jumper



Overview

HDMI Jumper, 2.0 Premium, Black Jacket, Ethernet Channel. All jumpers are serialized and include the premium hologram for verification of performance and source.



Technical Data

Material

Wire	Shielding	Suitability	Connectors	Contacts	Storage Temp Range	Operating Temp Range	Fire Resistance Rating
19x 30 AWG Copper Clad Steel	Triple Shielded	Indoor	Nickel plated Steel Shell, Black PVC Overmold	Gold Plated	-20°C to 75°C -4°F to 167°F	0°C to 75°C 32°F to 167°F	CL2, CL3

Detailed Product Description

NO. OF CORD.		UNIT A: (1/0. 254CCS*1P+1/0. 254CCS+AM) *5PCS	UNIT B: 1/0. 254CCS*4C+AM	UNIT C: 1/0. 254CCS+128/0.
Conductor	Material	COPPER CLAD STEEL WIRE	COPPER CLAD STEEL WIRE	COPPER CLAD STEEL WIRE
	Construction	1 STRAND / 0.254'0.01 mm	1 STRAND / 0.254'0.01 mm	1 STRAND / 0.254'0.01 mm
Insulation	Material	HDPE	HDPE	HDPE
	Thickness	0.25 mm	0.25 mm	0.25 mm
	Nominal Diam.	0.75'0.05 mm	0.75'0.05 mm	0.75'0.05 mm
	Color	AS COLOR CODE	AS COLOR CODE	AS COLOR CODE
Drain Wire 1	Material	---	COPPER CLAD STEEL WIRE	---
	Construction	---	1 STRAND / 0.254'0.01 mm	---
Shielding 1	Material	ALUMINUM MYLAR	ALUMINUM MYLAR	---
	Coverage	100% COVERAGE WITH 25% OVERLAPPING	100% COVERAGE WITH 25% OVERLAPPING	---
Drain Wire 2	Material	COPPER CLAD STEEL WIRE		
	Construction	1 STRAND / 0.254'0.01 mm		
Shielding 2	Material	ALUMINUM MYLAR		
	Coverage	100% COVERAGE WITH 25% OVERLAPPING		
Jacket	Material	PVC		
	Thickness	0.85 mm		
	Nominal Diam.	6.0 mm (0.236 in)		
Coil	Nominal Diam.	5.7 in (145 mm) MAX DIFFERENT COIL DIAMETERS AVAILABLE UPON REQUEST		
Marking		HIGH SPEED PREMIUM HDMI CABLE WITH ETHERNET		
ELECTRICAL PROPERTIES				
Conductor Resistance		1/0.25CCS: MAX. 2600 OHMS/KM AT 20		
Insulation Resistance		MIN. 10 MEGA OHMS/M AT 20		
Dielectric Test		500 VAC ; NO BREAKDOWN		

This product may be protected by one or more patents • For further information, please visit: www.ppc-online.com/patents

High Speed HDMI Cables

SIK Premium Jumper




Technical Data

Electrical Properties (100% Open/Short Tested)

Conductor Resistance	Insulation Resistance
10 Ohms Max	10 Megaohms Min

Construction Drawing



COLOR CODE:

UNIT A:

- P1. WHITE & BLUE
- P2. WHITE & BLUE
- P3. WHITE & BLUE
- P4. WHITE & BLUE


UNIT B:

- P5. WHITE & BLUE



UNIT C:

- 6. RED
- 7. GREEN
- 8. BLUE
- 9. WHITE

PIN OUT



Certifications

- RoHS Compliant 
- HDMI 2.0 Premium via ATC 

Ordering Information

Part Number	Description	Packaging
JHDPK20072	HDMI Jumper, 2.0 Premium, Black - 6 ft (1.8 m)	Available in bulk & individual bags Coiling to specific diameters available upon request
JHDPK20120	HDMI Jumper, 2.0 Premium, Black - 10 ft (3 m)	

Unless otherwise specified, dimensions, material, electrical and mechanical specifications shall comply with HDMI standards
*Cable image for reference only. Other colors, packaging and lengths available upon request.

This product may be protected by one or more patents • For further information, please visit: www.ppc-online.com/patents

6176 E. Molloy Rd. East Syracuse, NY 13057 U.S.A. • customerservice@ppc-online.com • 1-800-800-6652 • +1 315-431-7200 • www.ppc-online.com